



UNITED STATES PATENT AND TRADEMARK OFFICE

160 145289
COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/050,799	01/16/2002	Stephen D. Kuslich	S85.2-9923

490
VIDAS, ARRETT & STEINKRAUS, P.A.
6109 BLUE CIRCLE DRIVE
SUITE 2000
MINNETONKA, MN 55343-9185



CONFIRMATION NO. 7825

FORMALITIES LETTER



OC000000007474181

COPY OF PAPERS
ORIGINALLY FILED

Date Mailed: 02/14/2002

4-14-02

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The oath or declaration is missing.
A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(l) of \$65 for a small entity in compliance with 37 CFR 1.27, must be submitted with the missing items identified in this letter.
- **The balance due by applicant is \$ 65.**

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

04/24/2002 GGBREGI 00000034 10050799

01 FC:205


65.00 DP

S

3 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: Kuslich et al
Application No.: 10/050799
Filed: January 16, 2002
For: CENTRALIZED PRESSURE SYSTEM FOR
PREVENTING THROMBOSIS
Examiner:
Group Art Unit: 3764



COPY OF PAPERS
ORIGINALLY FILED

Commissioner for Patent
Washington, D.C. 20231

Docket No.: S85.2-9923

TRANSMITTAL LETTER


1. In regard to the above-identified application, we are submitting the attached:
RESPONSE TO NOTICE OF MISSING PARTS; DECLARATION, POWER OF ATTORNEY, ;
Req. to file Formal Drawings; 10 sheets of drawings; VAS Transmittal Letter; and Postcard.
2. With respect to fees:
☐ No additional fee is required.
☒ Attached is check(s) in the amount of \$65²⁰
☐ Charge additional fee to our Deposit Account No. 22-0350.
3. **CONDITIONAL PETITION FOR EXTENSION OF TIME**
This conditional petition is being filed along with the papers identified in Item 1 above and provides for the possibility that Applicant has inadvertently overlooked the need for a petition and fee for extension of time or for a petition and fee for any other matter petitionable to the Commissioner as required. If any extension of time for the accompanying response is required or if a petition for any other matter is required, by petitioner, Applicant requests that this be considered a petition therefor.
4. Notwithstanding paragraph 2 above, if any additional fees associated with this communication are required and have not otherwise been paid, including any fee associated with the Conditional Petition for Extension of Time, or any request in the accompanying papers for action which requires a fee as a petition to the Commissioner, please charge the additional fees to Deposit Account No. 22-0350. Please charge any additional fees or credit overpayment associated with this communication to the Deposit Account No. 22-0350.

202240-65405001


TRANSMITTAL LETTER
DOCKET NO.: S85.2-9923
Application No.: 10/050/799

VIDAS, ARRETT & STEINKRAUS

Date: APRIL ²⁴13, 2002

By: 
James M. Urzedowski
Registration No. 48,596

6109 Blue Circle Drive, Suite 2000
Minnetonka, MN 55343-9185
Telephone: (952) 563-3000
Facsimile: (952) 563-3001

Certificate Under 37 CFR 1.8: I hereby certify that this Transmittal Letter and the paper(s) as described herein, are being deposited in the U.S. Postal Service, as **FIRST CLASS MAIL**, addressed to Commissioner for Patents, Washington D.C. 20231, on APRIL 13, 2002

Julie Emerson

2003-10-66205001



COPY OF PAPERS
ORIGINALLY FILED

#3

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: Kuslich et al
Application No.: 10/050799
Filed: January 16, 2002
For: CENTRALIZED PRESSURE SYSTEM
FOR PREVENTING THROMBOSIS
Examiner:
Group Art Unit: 3764

Commissioner for Patent
Washington, D.C. 20231

Docket No.: S85.2-9923

RESPONSE TO NOTICE OF MISSING PARTS

In response to the Notice to File Missing Parts of Application--Filing Date
Granted, mailed February 14, 2002, enclosed for filing please find:

1. A copy of the Notice to File Missing Parts of Application (Form PTO-1533) and a Check for \$65.00 to cover the filing and surcharge fees.
2. Declaration;
3. Power of Attorney. If from assignee, it is hereby certified that the undersigned has authority to make this certification and has reviewed all the documents in the chain of title of the patent application identified herein and, to the best of undersigned's knowledge and belief, title is in the assignee identified above (37 CFR 3.73(b));
4. Information Disclosure Statement.
5. Request to file formal drawings with 10 formal drawings attached.

202240-65205001

Application No.10/050.799
Page 2

*Response to Notice
of Missing Parts*


Please charge any additional fees or credit any overpayment associated with this communication to the Deposit Account No. 22-0350.

Respectfully submitted,

VIDAS, ARRETT & STEINKRAUS

Date: April 15, 2002

By:


James M. Urzedowski
Registration No. 48,596

6109 Blue Circle Drive, Suite 2000
Minnetonka, MN 55343-9185
Telephone No.: (952) 563-3000
Facsimile No.: (952) 563-3001
FAWPWORKVUMU9923-MIS.412

2002-04-15 06:20:50



COPY OF PAPERS
ORIGINALLY FILED

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: Kuslich et al
Application No.: 10/050799
Filed: January 16, 2002
For: CENTRALIZED PRESSURE SYSTEM
FOR PREVENTING THROMBOSIS
Examiner:
Group Art Unit: 3764

Commissioner for Patent
Washington, D.C. 20231

Docket No.: S85.2-9923

TRANSMITTAL OF FORMAL DRAWINGS

Attached for filing please find the formal drawings for this application with each sheet properly marked.

Respectfully submitted,

Vidas, Arrett & Steinkraus, P.A.

Date: April 5, 2002

By: 

James M. Urzedowski
Registration No. 48,596

Suite 2000
6109 Blue Circle Drive
Minnetonka, MN 55343-9185
Phone: (952) 563-3000
Facsimile: (952) 563-3001

202240-65205001